International Journal of Mass Spectrometry and Ion Processes, 117 (1992) vii–ix
Elsevier Science Publishers B.V., Amsterdam

CONTENTS

Special Issue: Honor Biography — Charles H. DePuy

Charles H. DePuy xi

Do deprotonated vinylcarbinols undergo [1,3] sigmatropic rearrangement in the gas phase?
P.C.H. Eichinger and J.H. Bowie (Adelaide, S.A., Australia) 1

Experimental evidence for the conservation of an intact carbon skeleton and the intermediacy of a "solvated" hydride ion in the unimolecular dehydrogenation of norborneol alkoxides in the gas phase
S. Kostka, D. Schröder, D. Sülzle and H. Schwarz (Berlin, Germany) 15

Gas phase acidities of the α amino acids
R.A.J. O'Hair, J.H. Bowie (Adelaide, S.A., Australia) and S. Gronert (San Francisco, CA, USA) 23

FT-ICR studies of gas-phase ionic nitration of benzene: the role of electron- and proton-transfer processes
M. Attinà, F. Cacace and M. Speranza (Rome, Italy) 37

Positive ion chemistry of gaseous boric and polyboric acids
M. Attinà, F. Cacace, F. Grandinetti, G. Occhiucci and A. Ricci (Rome, Italy) 47

Studies of the gas phase reactions of protonated methanol with methanol using oxygen-18 and deuterium labeling
T.T. Dang and V.M. Bierbaum (Boulder, CO, USA) 65

Correlations of lone pair ionization energies with proton affinities of amino acids and related compounds. Site specificity of protonation
S. Campbell, J.L. Beauchamp (Pasadena, CA, USA), M. Rempe and D.L. Lichtenberger (Tucson, AZ, USA) 83

Thermal energy reactions of H_3^+ and H_3O^+ with a series of small organic molecules
H.S. Lee, M. Drucker and N.G. Adams (Athens, GA, USA) 101

The mechanisms of the gas phase reactions of HO^- with oxirane and HS^- with thiirane. An ab initio study
S. Gronert (San Francisco, CA, USA) 115

Studies of reactions of small titanium oxide cluster cations toward oxygen at thermal energies
B.C. Guo, K.P. Kerns and A.W. Castleman, Jr. (University Park, PA, USA) 129

Chemical behavior of the gas-phase pentacoordinated carbonium ion, $C_2H_7^+$
A.J.R. Heck, L.J. de Koning and N.M.M. Nibbering (Amsterdam, Netherlands) 145

Ligand addition versus substitution in the slow reaction of ^{13}CO with $Mn(CO)_4^-$ in a flowing afterglow apparatus
R.N. McDonald and M.A. Schmidt (Manhattan, KS, USA) 171

An energy-resolved study of the fragmentation of some siloxide ions
X. Li and A.G. Harrison (Toronto, Ont., Canada) 185

The gas-phase acidity of hindered amines and some reaction chemistry of their corresponding amide ions
R. Damrauer (Denver, CO, USA), M. Krempp, R.A.J. O'Hair (Boulder, CO, USA) and R.A. Simon (Denver, CO, USA) 199

Charge transfer between Hg^{2+} and Ar or Kr: reaction rates of various state-to-state processes from selected-ion flow drift tube studies and beam experiments
A. Hansel, R. Richter, W. Lindinger (Innsbruck, Austria) and Z. Herman (Prague, Czechoslovakia) 213

Proton transfer reactions of $C_2H_4^{\bullet +}$: the bond energy $D(C_2H_3-H)$
A. Petrank, M. Iraqi, I. Dotan and C. Lifshitz (Jerusalem, Israel) 223
Reactions of protonated water clusters with deuterated ammonia: $H(H_2O)_n^+$ (n = 1-4) + ND_3
K. Honma, L.S. Sunderlin and P.B. Armentrout (Salt Lake City, UT, USA) 237
Internal and translational energy effects on the charge-transfer reaction of CO_2^+ with O_2
E.E. Ferguson (Boulder, CO, USA), J.M. Van Doren, A.A. Viggiano, R.A. Morris, J.F. Paulson (Hanscom AFB, MA, USA), J.D. Stewart, L.S. Sunderlin and P.B. Armentrout (Salt Lake City, UT, USA) 261
An ion source with which ions produced by electrospray can be subjected to ion/molecule reactions at intermediate pressures (10-100 Torr). Deprotonation of polyprotonated peptides
M.G. Ikonomou and P. Kebarle (Edmonton, Alta., Canada) 283
Mechanistic insight into the reactions of $O^{\bullet -}$ with aromatic compounds and the synthesis of didehydroaromatic anions in the gas phase
Y. Guo (Cambridge, MA, USA) and J.J. Grabowski (Pittsburgh, PA, USA) 299
Ion/molecule reactions of *tert*-butyl cation with tertiary alcohols
H.E. Audier (Palaiseau, France), D. Berthomieu (Paris, France), D. Leblanc (Palaiseau, France), T.B. McMahon (Waterloo, Ont., Canada) and T.H. Morton (Riverside, CA, USA) 327
Gas-phase ambident reactivity of imidate anions ($^-NR_1(CO)R_2$)
I.L. Freriks, L.J. de Konig and N.M.M. Nibbering (Amsterdam, Netherlands) 345
Low energy collision induced dissociation: phase-shifting excitation control of ion kinetic energy in ion cyclotron resonance spectrometry
K.A. Boering, J. Rolfe and J.I. Brauman (Stanford, CA, USA) 357
On the protonation and proton affinity of SF_6
G.I. Mackay, H.I. Schiff and D.K. Bohme (North York, Ont., Canada) 387
Chemistry of C_2^- and HC_2^- with nitrogen, oxygen and nitrogen oxides
J.M. Van Doren, R.A. Morris, A.A. Viggiano, A.E. Stevens Miller, T.M. Miller and J.F. Paulson (Hanscom AFB, MA, USA) 395
Gas phase substitution of halobenzenes by methylamine and dimethylamine via radical cations
D. Thölmann and H.-F. Grützmacher (Bielefeld, Germany) 415
Gaseous $[M-H]^+$ ions of α,ω-diphenylalkanes: cyclization to $[M+H]^+$ type ions of benzocycloalkanes as recognized by chain-length dependent proton exchange
D. Kuck (Bielefeld, Germany) 441
A selected-ion flow tube study of the reactions of O^+, H^+ and HeH^+ with several molecular gases at 300 K
D. Smith, P. Spanel (Innsbruck, Austria) and C.A. Mayhew (Birmingham, UK) 457
Threshold energies for the reactions $OH^- + CH_3X \rightarrow CH_3OH + X^-$ (X = Cl, Br) measured by tandem mass spectrometry: deprotonation energies (acidities) of CH_3Cl and CH_3Br
P.M. Hierl, M.J. Henchman and J.F. Paulson (Hanscom AFB, MA, USA) 475
Fourier transform ion cyclotron resonance investigation of the deuterium isotope effect on gas phase ion/molecule hydrogen bonding interactions in alcohol–fluoride adduct ions
F.E. Wilkinson, J.E. Szulejko, C.E. Allison and T.B. McMahon (Waterloo, Ont., Canada) 487
The dynamics of photodissociation of the gas phase $(N_2O \cdot H_2O)^+$ cluster ion
S.T. Graul, H.-S. Kim and M.T. Bowers (Santa Barbara, CA, USA) 507
Thermal energy reactions of $OH^- + Cl_2$, Br_2: rate coefficients, product branching fractions and OH product vibrational populations
K. Knutsen, V.M. Bierbaum and S.R. Leone (Boulder, CO, USA) 537
The gas-phase acidity of nitrocyclopropane
J.E. Bartmess, B.N. Wilson, D.N. Sorensen and J.E. Bloor (Knoxville, TN, USA) 557
Gas-phase thermochemical properties of the bicarbonate and bisulfite ions
R.R. Squires (West Lafayette, IN, USA) 565
Ultraviolet photoelectron spectroscopy of the phenide, benzyl and phenoxide anions, with ab initio calculations
R.F. Gunion, M.K. Gilles, M.L. Polak and W.C. Lineberger (Boulder, CO, USA) 601

Gas phase chemistry of dinitramide and nitroacetylide ions
R.J. Schmitt (Menlo Park, CA, USA), M. Krempp (Denver, CO, USA) and V.M. Bierbaum (Boulder, CO, USA) 621
The *ortho*-dehydrophenoxy anion: an unusual ion formed from a surprising reaction
G.D. Dahlke and S.R. Kass (Minneapolis, MN, USA) 633
The gas phase ion/molecule chemistry of four carbanions generated from vinylene carbonate and its methyl and dimethyl derivatives
M.S. Robinson and F.W. Breitbeil III (Boulder, CO, USA) 647

Author Index 659

Subject Index 661